

CASO®

D E S I G N

INNOVATIVE KITCHEN TECHNOLOGY



TASTE IS A QUESTION OF THE TEMPERATURE

2022



TABLE OF CONTENTS

Drinking temperatures

page 5

Freestanding Wine Coolers

from page 6

WineSafe Black / WineComfort Black	8 / 9
WineSafe	10 / 11
WineComfort	12 / 13
WineComfort Smart	14 / 15
WineExclusive Smart	16 / 17
WinePremium Smart	18 / 19

Wine Coolers – used freestanding, under counter, built-in

from page 18

WineChef Pro	20 / 21
WineChef Pro Black	22 / 23

Built-in Wine Coolers

from page 24

WineSafe EB	26
WineDeluxe	27

One Bottle Coolers

from page 28

WineCase One	29
--------------	----

Cooling & storing

from page 30

Counter & Cool, Barbecue Cooler	30
DryAged Master	31


Overview / technical data

from page 32

CASO Control App

page 45

WINE & DRINKS AT A GLANCE – THE PERFECT APP FOR YOUR DIGITAL ENJOYMENT ARCHIVE!



An excellent app for your best wines and drinks

The new CASO Design Wine & Bar Manager app provides you with a perfect overview of your wines and spirits / drinks (gin, vodka, whisky, cognac, liqueurs, beer). This practical app is a fantastic way to organise your wine and drinks portfolio as well as to add informative notes.


Structure your digital archive according to various criteria, such as price, vintage or quantity. Save your own photos, such as shots of vineyard labels or bottle designs. Create notes which allow you to access key information on wines or drinks whenever you want, ensuring that you will always have all the details of your wine and spirits stocks at your fingertips and can check which wines or drinks are available; need to be replaced; are ready to drink or are simply there to be tried.

Find out more about the free CASO Design app and its practical features! Ideal for all wine lovers and connoisseurs!

www.caso-winemanager.com



WINE & BAR MANAGER APP



DRINKING TEMPERATURES

Light white wines

6-8°C / 43-46°F

Examples being young, dry Rieslings and Sauvignon Blanc, Muscat Blanc, Pinot Grigio and Prosecco

Full-bodied white and rosé wines

10-11°C / 50-52°F

Examples being, Chardonnay, Pinot Gris and Rosé from Provence

Complex, bold white wines

12-13°C / 53-55°F

Examples being white selection (Auslese) wines, BA and TBA wines, ice wines, Barrique Chardonnay, Pinot blanc Cru, vintage Champagne

Young, light red wines

14-15°C / 57-59°F

Examples being Trollinger, Blauer Portugieser, Beaujolais

Young, full-bodied red wines

16-17°C / 61-63°F

Examples being Pinot noir, Tempranillo, Cabernet Sauvignon, Bordeaux red, Chianti, Vino Nobile, Blaufränkisch, blauer Zweigelt

Heavy, ripened red wines

18-19°C / 64-66°F

Examples being vintage Pinot noir, Rhône wines, Bordeaux Grand Cru, Barolo

„Taste is a question
of the temperature.



FREESTANDING WINE COOLERS



PERFECT CONDITIONS

QUIET STORAGE

Low noise compressors operating on vibration-damping feet provide the tranquil setting your wine requires. The temperature can be set at between 5 and 20 °C / 41 and 68 °F for each respective temperature zone. The latest generation of wine coolers is regulated via a state-of-the-art touch panel – convenience to ensure impeccable enjoyment.

SAFETY


UV PROTECTION

Light, and specifically UV radiation, can penetrate the dark glass of a bottle and rapidly have a detrimental effect on the quality of your wine. The special UV-resistant glass completely protects the wine from UV light.

TECHNOLOGY

CIRCULATION

Active ventilation ensures air circulation in **every** temperature zone for an uniform temperature.



DESIGN LINE WITH STAINLESS STEEL BAR

WINE**SAFE** BLACK / WINE**COMFORT** BLACK



WineSafe Black / WineComfort Black

- + High-quality wine cooler with compressor technology
- + **Temperature electronically adjustable from 5 - 20 °C (41 - 68 °F)****
- + Two separate temperature zones, individually adjustable for white, red and rosé wine (WineSafe 12 black with one temperature zone)
- + **Smooth running compressors on vibration-reduced feet: provide the calm, quiet location your wine requires**
- + **Active fans per temperature zone ensuring a very even temperature**
- + Storage of approx. 12, 24, 38, 66 bottles (up to 310 mm high)*
- + 3-layer insulating safety glass with UV filter for optimal aroma protection
- + LED temperature display of the cooling zones
- + Switchable interior lighting
- + Timeless design with elegant glass front and stainless steel frame
- + Ball bearing runners with wooden storage shelves, WineComfort 24 Black with pull-out wooden shelves
- + Lockable door



Designer doors with smoked glass and stainless steel
The doors of the WineComfort Black series are encompassed within a slimline, brushed stainless steel frame. Ultra violet light is filtered by the glass to maintain the fine aroma of the wine and ensure the flavour remains unspoilt.

*Bottle size based on a standard Bordeaux bottle
** The maximum temperature that can be reached inside the device cannot be significantly higher than the ambient temperature at the setup location

DESIGN LINE INNER TOUCH CONTROL

WINESAFE (ONE COOLING ZONE)



5-20 °C

Stainless steel frame

Freestanding Wine Cooler
Heat is discharged via the sides and rear wall. The wine cooler must have a 15 cm gap around the sides and rear wall to allow air to circulate.



Item 622

5-20 °C

WineSafe 12 Classic



Item 647

5-20 °C

WineSafe 43



Item 663

5-20 °C

WineSafe 75



Item 668

5-20 °C

WineSafe 137




Item 673

5-20 °C

WineSafe 192



1 x wooden storage shelf with tilting device for wine presentation (WineSafe 137 & 192)



Protection of the wine
The multi-layer glass doors provide perfect insulation and, thanks to their UV filter, even protect against UV light.

The wine is also optimally protected from excessive humidity and condensation.

- WineSafe**

 - + High-quality wine cooler with compressor technology
 - + One temperature zone, adjustable for white, red and rosé wine
 - + Sensor touch operation
 - + Smooth running compressors on vibration-reduced feet: provide the calm, quiet location your wine requires
 - + **Active fans ensuring a very even temperature**
 - + Storage of up to 12 / 43 / 75 / 137 / 192 bottles* (up to 310 mm high)
- + 3-layer insulating safety glass with UV filter for optimal aroma protection (WineSafe 192: 2-layer)
 - + **Temperature electronically adjustable from 5 - 20 °C (41 - 68 °F)****
 - + LED temperature display of the cooling zones
 - + Switchable interior lighting
 - + Timeless design with elegant stainless steel front and ergonomic handle
 - + Ball bearing runners with wooden storage shelves
 - + Lockable door




Lighting
The cooling compartment temperature displays and activatable interior lighting are equipped with white LEDs.

*Bottle size based on a standard Bordeaux bottle
** The maximum temperature that can be reached inside the device cannot be significantly higher than the ambient temperature at the setup location

PERFECTLY TEMPERED

WINECOMFORT (TWO COOLING ZONES)



Freestanding Wine Cooler
Heat is discharged via the sides and rear wall. The wine cooler must have a 15 cm gap around the sides and rear wall to allow air to circulate.



- WineComfort**

 - + High-quality wine cooler with compressor technology
 - + **Two separate temperature zones, adjustable for white, red and rosé wine**
 - + Sensor touch operation
 - + Smooth running compressors on vibration-reduced feet: provide the calm, quiet location your wine requires
 - + **Active fans per temperature zone ensuring a very even temperature**
 - + Storage of up to 24 / 38 / 66 / 126 / 180 bottles* (up to 310 mm high)
 - + 3-layer insulating safety glass with UV filter for optimal aroma protection (WineComfort 180: 2-layer)
- + **Temperature electronically adjustable from 5 - 20 °C / 41 - 68 °F****
 - + LED temperature display of the cooling zones
 - + Switchable interior lighting
 - + Timeless design with elegant stainless steel front and ergonomic handle
 - + Ball bearing runners with wooden storage shelves
 - + 1 x wooden storage shelf with tilting device for wine presentation (WineComfort 126 & 180)
 - + Lockable door



Shelving
The wine bottles are stored on pull-out wooden shelves.



1 x wooden storage shelf with tilting device for wine presentation (WineComfort 126 + 180)



Two zones for white, red and rosé wine

*Bottle size based on a standard Bordeaux bottle

** The maximum temperature that can be reached inside the device cannot be significantly higher than the ambient temperature at the setup location

13

APP CONTROLLED WINE COOLERS

WINECOMFORT SMART (TWO COOLING ZONES)

Freestanding Wine Cooler
Heat is discharged via the sides and rear wall. The wine cooler must have a 15 cm gap around the sides and rear wall to allow air to circulate.



WineComfort 380 Smart



WineComfort 660 Smart



WineComfort 1260 Smart



WineComfort 1800 Smart



1 x wooden storage shelf with tilting device for wine presentation (WineComfort 1260 Smart + 1800 Smart)

- WineComfort Smart**

 - + High-quality wine cooler with compressor technology
 - + Can be easily controlled from virtually anywhere via the integrated wifi module using the CASOControl App
 - + CASO app monitors your wine cooler
 - + Two separate temperature zones, individually adjustable for white and red wine
 - + Sensor touch operation
 - + Smooth running compressors on vibration-reduced feet: provide the calm, quiet location your wine requires
 - + **Active fans per temperature zone ensuring a very even temperature**
 - + Storage of up to 38 / 66 / 126 / 180 bottles (up to 310 mm high)*
- + 3-layer insulating safety glass with UV filter for optimal aroma protection (WineComfort 1800 Smart: 2-layer)
 - + **Temperature electronically adjustable from 5 - 20 °C / 41 - 68 °F****
 - + LED temperature display of the cooling zones
 - + Switchable interior lighting
 - + Timeless design with elegant stainless steel front and ergonomic handle
 - + Ball bearing runners with removable wooden storage shelves
 - + Lockable door



WI-FI SMART CONTROL
CASO CONTROL APP




More information and requirements can be found on page 45.

*Bottle size based on a standard Bordeaux bottle
** The maximum temperature that can be reached inside the device cannot be significantly higher than the ambient temperature at the setup location

APP CONTROLLED WINE COOLERS

WINEEXCLUSIVE SMART (TWO COOLING ZONES)



1 x wooden storage shelf
with tilting device for
wine presentation
(WineExclusive 126 Smart
+ 180 Smart)



WineExclusive Smart

- + High-quality wine cooler with compressor technology
- + **Can be easily controlled from virtually anywhere via the integrated wifi module using the CASOControl App**
- + CASO app monitors your wine cooler
- + Two separate temperature zones wine, individually adjustable for white and red wine
- + Smooth compressors: Taking care of the tranquility of what your wine needs
- + **Active fans per temperature zone ensuring a very even temperature per zone**
- + Storage for up to 24 / 38 / 66 / 126 / 180 bottles* (up to 310 mm height)*
- + 3-layer insulating safety glass with UV-filter for optimal aroma protection (WineExclusive 180 Smart: 2-layer)
- + **Temperature per zone electronically adjustable from 5 - 20 °C (41 - 68 °F)****
- + LED temperature display of the cooling zones
- + Switchable interior lighting
- + Elegant design glass front
- + Pull-out, ball-bearing mounted wooden storage shelves
- + With lockable door



WI-FI SMART CONTROL

CASO CONTROL APP



More information and requirements can be found on page 45.

*Bottle size based on a standard Bordeaux bottle

**The maximum temperature that can be reached inside the device cannot be significantly higher than the ambient temperature at the setup location temperature at the installation site

***When registering on www.caso-design.de



CONVERTIBLE AND INTEGRATED WINE COOLERS



WineChef Pro and WineChef Pro black wine coolers for storage of 126 or more bottles have an additional presentation shelf which can be tilted to allow you to display your best wines.

Can be used individually

Thanks to front cooling can be used as an under counter or built-in device

Air circulation in the lower front area of the WineChef Pro and WineChef Pro black wine coolers means that they can be used as convertible or integrated units.

They are also beautiful eyecatchers when used free-standing.



FOR RED AND WHITE WINE

2 zones for every taste

With two separate temperature zones WineChef Pro and WineChef Pro black wine coolers can simultaneously store red and white wine. Because taste depends on achieving the ideal temperature.



UNDER COUNTER AND BUILT-IN DESIGN RANGE THANKS TO FRONT COOLING

WINECHEF PRO (TWO COOLING ZONES)



Front cooling enables the wine cooler to be used in a freestanding, undercounter or slide in position.



WineChef Pro 40



WineChef Pro 126



Freely position-able shelf without fixed rails



WineChef Pro 126-2D



WineChef Pro 180



1 x wooden storage shelf with tilting device for wine presentation (except for WineChef Pro 40)



Protection of the wine
The multi-layer glass doors provide perfect insulation and, thanks to their UV filter, even protect against UV light.

The wine is also optimally protected from excessive humidity and condensation.

- WineChef Pro**
- + High-quality wine cooler with compressor technology
 - + Can be easily controlled from virtually anywhere via the integrated wifi module using the CASOControl App
 - + CASO app monitors your wine cooler
 - + Two separate temperature zones, individually adjustable for white and red wine
 - + Cooling via the base means the device can be placed freestanding, under-counter (WineChef Pro 40) or in an integrated position (WineChef Pro 126 / 126-2D / 180)
 - + Smooth running compressors on vibration-reduced feet: provide the calm, quiet location your wine requires
 - + Sensor touch operation
 - + Active fans per temperature zone ensuring a very even temperature

- + Storage of up to 40 / 125 / 215 bottles (up to 310 mm high)*
- + 3-layer insulating safety glass with UV filter for optimal aroma protection
- + Temperature electronically adjustable from 5 - 20 °C / 41 - 68 °F**
- + White LED temperature display of the cooling zones
- + Switchable interior lighting
- + Timeless design with elegant stainless steel front
- + Ball bearing runners with removable wooden storage shelves
- + One wooden storage shelf with tilting device for wine presentation (except for WineChef Pro 40)
- + With lockable door



WI-FI SMART CONTROL
CASO CONTROL APP



More information and requirements can be found on page 45.


*Bottle size based on a standard Bordeaux bottle
** The maximum temperature that can be reached inside the device cannot be significantly higher than the ambient temperature at the setup location

UNDER COUNTER AND BUILT-IN DESIGN RANGE THANKS TO FRONT COOLING

WINECHEF PRO BLACK (TWO COOLING ZONES)

NEW

Item 773




5-20 °C

5-20 °C

WineChef Pro 40 Black

NEW

Item 777



5-20 °C

5-20 °C


With 2 doors

Freely positiona-
ble shelf without
fixed rails

WineChef Pro 126-2D Black

NEW

Item 780




5-20 °C

5-20 °C

WineChef Pro 180 Black

Stainless steel frame



WineChef Pro Black

- + High-quality wine cooler with compressor technology
 - + Can be easily controlled from virtually anywhere via the integrated wifi module using the CASOControl App
 - + CASO app monitors your wine cooler
 - + Storage of up to 40 / 125 / 215 bottles (up to 310 mm height)*
 - + Smooth running compressors on vibration-reduced feet: provide the calm, quiet location your wine requires
 - + Thanks to cooling above the device base, it can be used freely or can be built under
 - + Two separate temperature zones for white and red wine, individually adjustable
 - + Temperature electronically adjustable from 5 - 20 °C (41 - 68 °F)**
- + Active fans per temperature zone ensuring a very even temperature per zone
 - + 3-layer insulating glass with UV filter for optimum aroma protection
 - + Sensor-touch operation
 - + White LED temperature display of the cooling zones
 - + Switchable interior lighting
 - + Timeless design with elegant, black stainless steel front
 - + Five pull-out, ball-bearing mounted wooden storage shelves
 - + One wooden storage shelf with tilting device for wine presentation (except for WineChef Pro 40 Black)
 - + Lockable door

“Black is beautiful”

WineChef Pro Black wine coolers are a very special range of designer devices.

The elegant design with a matt black stainless steel front is a timeless option for all interiors and a beautiful eyecatcher.

Pull-out wooden storage shelves are perfect for storing high-quality red and white wines.

Only drinking the wine is better!

WI-FI SMART CONTROL

CASO CONTROL APP



1 x wooden storage shelf with tilting device for wine presentation (except WineChef Pro 40 black)




Protection of the wine
The multi-layer glass doors provide perfect insulation and, thanks to their UV filter, even protect against UV light.

The wine is also optimally protected from excessive humidity and condensation.



More information and requirements can be found on page 45.



Cooling via the base enables the wine cooler to be used in a freestanding, undercounter or integrated position.

*Bottle size based on a standard Bordeaux bottle
** The maximum temperature that can be reached inside the device cannot be significantly higher than the ambient temperature at the setup location



BUILT-IN WINE COOLERS



Wooden shelves with ball bearing runners are easy to pull out, making it easy to find a specific wine.

BUILT-IN DEVICES

The timeless design fits into all homes

Integrate your best wines into your kitchen using CASO built-in wine coolers. This integrated, low-key storage option is perfect for storing up 18 or 29 bottles.

Always close at hand, these beautiful devices can be freely adjusted to temperatures ranging from 5 to 20 °C.



STYLISH OPERATION

Push-to-open + Soft-close


WineDeluxe wine fridges have elegant push-to-open glass doors. The minimalist design incorporates a completely flat, discreet front.

Soft-close hinges ensure that the doors open and close quietly.

In addition to this, doors can be fitted to open to the left or the right by fitting the hinge on the left or the right side of the carcass.



WINESAFE BUILT-IN



- WineSafe 18 EB / 18 EB Black / 18 EB Inox**
- + High quality wine control device with compressor technology
 - + Sensor touch operation
 - + **Temperature electronically adjustable from 5 - 20 °C (41 - 68 °F)****
 - + **Active fans ensuring a very even temperature**
 - + Storage of up to 18 bottles (up to 310 mm in height)*
 - + 3-layer insulating glass with UV filter for optimum aroma protection
 - + LED temperature display of the cooling zone



- + Ball bearing mounted pull-outs with wooden bearing bases
- + Switchable interior lighting
- + Timeless design with elegant glass front and
 - minimalist handle (WineSafe 18 EB Black)
 - ergonomic handle (WineSafe 18 EB)
 - stainless steel frame and minimalist handle (WineSafe 18 EB Inox)



The wooden storage shelves can be pulled out easily.

Caution! No standard kitchen furniture installation dimensions!

Wine cooler hinge from above / door swings out



WINEDELUXE BUILT-IN



The elegant doors have a push-to-open feature so no handle is required.



The wooden shelves are easy to pull out while the tilt function (only for the E 29) allows you to display your wine bottles.



Soft-close hinges ensure that the doors open and close quietly. They can be fitted to open to the left or the right.




*Bottle size based on a standard Bordeaux bottle

** The maximum temperature that can be reached inside the device cannot be significantly higher than the ambient temperature at the setup location

Item 7710



WineDeluxe E 18




NEW

Item 7711



WineDeluxe E 29



NEW

- WineDeluxe E 18 / E 29**
- + Built-in designer wine fridge for storage of up to 18 / 29 bottles (max. 310 mm height)*
 - + Fits all 45 cm / 60 cm cavity heights
 - + **Single temperature zone can be set to 5 - 20 °C (41 - 68 °F)** using electronic controls**
 - + Push-to-open door with soft-close Hettich hinges
 - + Smooth-running compressor ensures gentle, vibration-free wine storage
 - + **Active ventilation for even temperature distribution**
 - + 3-layer insulating glass with UV filter for optimum aroma protection
 - + Sensor touch operation
 - + LED temperature display for the cooling area
 - + White interior lighting can be switched on as required
 - + Two removable wooden storage shelves with ball bearing runners
 - + 1x wooden storage shelf with tilting device for wine presentation (only WineDeluxe E 29)
 - + Door can be fitted to open to the left or right

COSO
DESIGN



ONE BOTTLE COOLER

ONE BOTTLE COOLER

WINECASE ONE



WineCase One

- + High quality wine cooler for one bottle*
- + Ideal for cooling of e.g. wine
- + Put your favourite wine in the limelight
- + Noble design with stainless steel housing (611) / black stainless steel housing (614)
- + Compact size – perfect on every sideboard
- + Temperature electronically adjustable from 5 - 18 °C** in 1°C steps (or 41 - 64 °F** in 1 °F steps)
- + White LED temperature display
- + Practical sensor touch operation



*with a bottle diameter of up to 9 cm

** The maximum temperature that can be reached inside the device cannot be significantly higher than the ambient temperature at the setup location

STAINLESS STEEL TROLLEY WITH SIDE SHELVES, DRAWER AND BARBECUE COOLER

COUNTER & COOL



- + Stainless steel trolley with CASO Barbecue Cooler (ca. 63 liters storage volume) with removable side shelves
- + Ideal for cooling beer, soft drinks, etc.
- + **High quality stainless steel design**
- + **Ideal for covered terraces etc. thanks to splash water protection**
- + **One temperature zone, manually adjustable from 0 - 10 °C***
- + Compressor technology
- + Connectable LED interior lighting
- + Removable shelves
- + 3-layer insulating safety glass with UV filter for optimal light protection
- + Drawer with self-closing mechanism
- + Side parts up to 25 kg loadable
- + Easily washable and very hygienic
- + With four stable swivel castors for easy transport
- + Front castors with parking brake

MODEL VARIANTS



Counter & Cool, Item 681
+ Trolley inkl. Barbecue Cooler

Barbecue Cooler R, Item 680
+ Without trolley
+ With right hinge

Barbecue Cooler L, Item 683
+ Without trolley
+ With left hinge

Trolley, Item 682
+ Without Barbecue Cooler

MATURING AND STORAGE CABINET FOR MEAT

DRYAGED MASTER

NEW

Item 691

The special way to age meat
Fancy a Galician beef sirloin steak? An absolute dream for meat lovers. Thanks to its strong marbling this cut is extra tender and aromatic and can achieve its full potential in the CASO DryAged maturing cabinet.

This special way of aging meat makes its particularly tender and aromatic. Beef aged on the bone has been a cult in the USA for decades now. Dry aging is the oldest known process for maturing meat and involves aging it on the bone for a certain length of time at a controlled temperature and humidity.

CASO DryAged coolers include finely adjustable air conditioning technology and a high-quality finish. A “must-have” for meat lovers who want ultimate enjoyment.




NEW

Item 689

NEW

Item 690



- DryAged Master 63 / 125 / 380 Pro**
- + Maturing cabinet with compressor technology
 - + For storing, presenting and maturing high quality meat
 - + DryAged Master 125 can be used as free-standing, convertible or integrated unit, DryAged Master 380 Pro can be used as free-standing or integrated unit
 - + Usable volume of 63, 125 or 380 liters
 - + **Temperature electronically adjustable from 2 - 14 °C (in 1 °C steps)**
 - + Indoor humidity adjustable from 50 - 85 %
 - + **Active fans for a very even temperature**
 - + Intuitive operation using the touch control panel
 - + 3-layer UV glass
 - + Lockable with an integrated lock
 - + Switchable interior lighting
 - + Switchable, antibacterial UV light
 - + With built-in activated carbon filter
 - + Incl. Racks and hangers with meat hooks made of stainless steel + one H2O reservoir (2 pcs. with DryAged Master 380 Pro)
- Activated carbon filter and H2O storage also on: www.caso-design.de

* The maximum temperature that can be reached inside the device cannot be significantly higher than the ambient temperature at the setup location



ARTICLE OVERVIEW

ARTICLE OVERVIEW

FREESTANDING WINE COOLERS

WINE*SAFE* BLACK / WINE*COMFORT* BLACK
ONE / TWO COOLING ZONES



Product name	WineSafe 12 Black	WineComfort Black	WineComfort 38 Black	WineComfort 66 Black
Item	624	644	653	659
EAN	40 38437 00624 7	4 038437 00644 5	40 38437 00653 7	40 38437 00659 9
Housing / colour	Black	Black	Black	Black
Temperature range	5 - 20 °C**	5 - 20 °C**	5 - 20 °C**	5 - 20 °C**
Temperature zones	1	2	2	2
Cooling technology	Compressor	Compressor	Compressor	Compressor
UV filter glass	3-layer	3-layer	3-layer	3-layer
Interior light	LED white	LED white	LED white	LED white
Operation	Sensor touch	Sensor touch	Sensor touch	Sensor touch
Bottles	12*	24*	38*	66*
Shelves	3	5	7	7
Door lock	■	■	■	■
Power	60 Watt	60 Watt	70 Watt	70 Watt
Class	G	G	G	G
Annual consumption	130 kWh/a	135 kWh/a	146 kWh/a	165 kWh/a
Voltage	220-240V/50Hz	220-240V/50Hz	220-240V/50 Hz	220-240V/50 Hz
Frame	Stainless steel with glass insert	Stainless steel with glass insert	Stainless steel with glass insert	Stainless steel with glass insert
Weight	22,3 kg	36 kg	47,2 kg	61,9 kg
Measures (WxHxD mm)	395 x 515 x 510	395 x 820 x 505	395 x 1035 x 630	595 x 1035 x 630
Measures with handle (WxHxD mm)	395 x 515 x 550	395 x 820 x 550	395 x 1035 x 675	595 x 1035 x 675
Certification	GS	GS	GS	GS
Packing unit	1	1	1	1






*Bottle size based on a standard Bordeaux bottle
** The maximum temperature that can be reached inside the device cannot be significantly higher than the ambient temperature at the setup location

ARTICLE OVERVIEW

FREESTANDING WINE COOLERS

WINE*SAFE*






ONE COOLING ZONE



Product name	WineSafe 12	WineSafe 43	WineSafe 75	WineSafe 137	WineSafe 192
Item	622	647	663	668	673
EAN	40 38437 00622 3	40 38437 00647 6	40 38437 00663 6	40 38437 00668 1	40 38437 00673 5
Housing / colour	Black / Stainless steel	Black / Stainless steel	Black / Stainless steel	Black / Stainless steel	Black / Stainless steel
Temperature range	5 - 20 °C**	5 - 20 °C**	5 - 20 °C**	5 - 20 °C**	5 - 20 °C**
Temperature zones	1	1	1	1	1
Cooling technology	Compressor	Compressor	Compressor	Compressor	Compressor
UV filter glass	3-layer	3-layer	3-layer	3-layer	2-layer
Interior light	LED white	LED white	LED white	LED white	LED white
Operation	Sensor touch	Sensor touch	Sensor touch	Sensor touch	Sensor touch
Bottles	12*	43*	75*	137*	192*
Shelves	3	8	4	7 (6 + 1 presentation shelf)	8 (7 + 1 presentation shelf)
Door lock	■	■	■	■	■
Power	60 Watt	70 Watt	70 Watt	75 Watt	75 Watt
Class	G	G	G	G	G
Annual consumption	130 kWh/a	142 kWh/a	150 kWh/a	166 kWh/a	187 kWh/a
Voltage	220-240V/50Hz	220-240V/50Hz	220-240V/50Hz	220-240V/50Hz	220-240V/50Hz
Frame	Brushed stainless steel	Brushed stainless steel	Brushed stainless steel	Brushed stainless steel	Brushed stainless steel
Weight	22,3 kg	39,5 kg	51,5 kg	74 kg	90 kg
Measures (WxHxD mm)	395 x 515 x 510	395 x 1020 x 625	595 x 1025 x 630	595 x 1590 x 625	595 x 1860 x 700
Measures with handle (WxHxD mm)	395 x 515 x 550	395 x 1020 x 670	595 x 1025 x 670	595 x 1590 x 680	595 x 1860 x 750
Certification	GS	GS	GS	GS	GS
Packing unit	1	1	1	1	1

WINE*COMFORT*

TWO COOLING ZONES



Product name	WineComfort 24	WineComfort 38	WineComfort 66	WineComfort 126	WineComfort 180
Item	645	650	660	665	670
EAN	40 38437 00645 2	40 38437 00650 6	40 38437 00660 5	40 38437 00665 0	40 38437 00670 4
Housing / colour	Black / Stainless steel	Black / Stainless steel	Black / Stainless steel	Black / Stainless steel	Black / Stainless steel
Temperature range	5 - 20 °C**	5 - 20 °C**	5 - 20 °C**	5 - 20 °C**	5 - 20 °C**
Temperature zones	2	2	2	2	2
Cooling technology	Compressor	Compressor	Compressor	Compressor	Compressor
UV filter glass	3-layer	3-layer	3-layer	3-layer	2-layer
Interior light	LED white	LED white	LED white	LED white	LED white
Operation	Sensor touch	Sensor touch	Sensor touch	Sensor touch	Sensor touch
Bottles	24*	38*	66*	126*	180*
Shelves	6	7	7	7 (6 + 1 presentation shelf)	8 (7 + 1 presentation shelf)
Door lock	■	■	■	■	■
Power	60 Watt	70 Watt	70 Watt	75 Watt	75 Watt
Class	G	G	G	G	G
Annual consumption	136 kWh/a	146 kWh/a	165 kWh/a	180 kWh/a	184 kWh/a
Voltage	220-240V/50Hz	220-240V/50Hz	220-240V/50Hz	220-240V/50Hz	220-240V/50Hz
Frame	Brushed stainless steel	Brushed stainless steel	Brushed stainless steel	Brushed stainless steel	Brushed stainless steel
Weight	35,7 kg	45,2 kg	60,5 kg	76,1 kg	86,4 kg
Measures (WxHxD mm)	395 x 875 x 545	395 x 1035 x 630	595 x 1035 x 630	595 x 1590 x 625	595 x 1860 x 705
Measures with handle (WxHxD mm)	395 x 875 x 595	395 x 1035 x 675	595 x 1035 x 675	595 x 1590 x 685	595 x 1860 x 760
Certification	GS	GS	GS	GS	GS
Packing unit	1	1	1	1	1

*Bottle size based on a standard Bordeaux bottle

** The maximum temperature that can be reached inside the device cannot be significantly higher than the ambient temperature at the setup location

34





35

ARTICLE OVERVIEW

FREESTANDING WINE COOLERS

WINECOMFORT SMART
TWO COOLING ZONES





App-capable!



Product name	WineComfort 380 Smart	WineComfort 660 Smart	WineComfort 1260 Smart	WineComfort 1800 Smart
Item	720	725	728	730
EAN	40 38437 00720 6	40 38437 00725 1	40 38437 00728 2	40 38437 00730 5
Housing / colour	Black / Stainless steel	Black / Stainless steel	Black / Stainless steel	Black / Stainless steel
Temperature range	5 – 20 °C**	5 – 20 °C**	5 – 20 °C**	5 – 20 °C**
Temperature zones	2	2	2	2
Cooling technology	Compressor	Compressor	Compressor	Compressor
UV filter glass	3-layer	3-layer	3-layer	2-layer
Interior light	LED white	LED white	LED white	LED white
Operation	Sensor touch	Sensor touch	Sensor touch	Sensor touch
App control	■	■	■	■
Bottles	38*	66*	126*	180*
Shelves	7	7	7 (6 + 1 presentation shelf)	8 (7 + 1 presentation shelf)
Door lock	■	■	■	■
Power	70 Watt	70 Watt	75 Watt	75 Watt
Class	G	G	G	G
Annual consumption	146 kWh/a	165 kWh/a	180 kWh/a	184 kWh/a
Voltage	220-240 V/50 Hz	220-240 V/50 Hz	220-240 V/50 Hz	220-240 V/50 Hz
Frame	Brushed stainless steel	Brushed stainless steel	Brushed stainless steel	Brushed stainless steel
Weight	45,9 kg	56,9 kg	76,9 kg	87,6 kg
Measures (WxHxD mm)	395 x 1035 x 630	595 x 1035 x 630	595 x 1590 x 625	595 x 1860 x 705
Measures with handle (WxHxD mm)	395 x 1035 x 675	595 x 1035 x 675	595 x 1590 x 685	595 x 1860 x 760
Certification	GS	GS	GS	GS
Packing unit	1	1	1	1

WINEEXCLUSIVE SMART
TWO COOLING ZONES

App-capable!



Product name	WineExclusive 24 Smart	WineExclusive 38 Smart	WineExclusive 66 Smart	WineExclusive 126 Smart	WineExclusive 180 Smart
Item	718	721	726	729	731
EAN	40 38437 00718 3	40 38437 00721 3	40 38437 00726 8	40 38437 00729 9	40 38437 00731 2
Housing / colour	Black / Glass front	Black / Glass front	Black / Glass front	Black / Glass front	Black / Glass front
Temperature range	5 – 20 °C**	5 – 20 °C**	5 – 20 °C**	5 – 20 °C**	5 – 20 °C**
Temperature zones	2	2	2	2	2
Cooling technology	Compressor	Compressor	Compressor	Compressor	Compressor
UV filter glass	3-layer	3-layer	3-layer	3-layer	2-layer
Interior light	LED white	LED white	LED white	LED white	LED white
Operation	Sensor touch	Sensor touch	Sensor touch	Sensor touch	Sensor touch
App control	■	■	■	■	■
Bottles	24*	38*	66*	126*	180*
Shelves	6	7	7	7 (6+1 presentation shelf)	8 (7+1 presentation shelf)
Door lock	■	■	■	■	■
Power	60 Watt	70 Watt	70 Watt	75 Watt	75 Watt
Class	G	G	G	G	G
Annual consumption	136 kWh/a	146 kWh/a	165 kWh/a	180 kWh/a	184 kWh/a
Voltage	220-240V/50Hz	220-240V/50Hz	220-240V/50Hz	220-240V/50Hz	220-240V/50Hz
Frame	Black	Black	Black	Black	Black
Weight	37 kg	47,8 kg	60,4 kg	84,6 kg	97 kg
Measures (WxHxD mm)	400 x 875 x 540	400 x 1035 x 635	600 x 1035 x 635	600 x 1590 x 635	600 x 1860 x 700
Measures with handle (WxHxD mm)	400 x 875 x 585	400 x 1035 x 685	600 x 1035 x 685	600 x 1590 x 685	600 x 1860 x 750
Certification	GS	GS	GS	GS	GS
Packing unit	1	1	1	1	1

*Bottle size based on a standard Bordeaux bottle

** The maximum temperature that can be reached inside the device cannot be significantly higher than the ambient temperature at the setup location

ARTICLE OVERVIEW

FREESTANDING WINE COOLERS

WINEPREMIUM SMART
TWO COOLING ZONES

App-capable!







Product name	WinePremium 38 Smart	WinePremium 126 Smart	WinePremium 180 Smart
Item	722	732	733
EAN	40 38437 00722 0	40 38437 00732 9	40 38437 00733 6
Housing / colour	Black / Stainless steel front	Black / Stainless steel front	Black / Stainless steel front
Temperature range	5 – 20 °C**	5 – 20 °C**	5 – 20 °C**
Temperature zones	2	2	2
Cooling technology	Compressor	Compressor	Compressor
UV filter glass	3-layer	3-layer	2-layer
Interior light	LED white	LED white	LED white
Operation	Sensor touch	Sensor touch	Sensor touch
App control	■	■	■
Bottles	38*	126*	180*
Shelves	7	7 (6 + 1 presentation shelf)	8 (7 + 1 presentation shelf)
Door lock	■	■	■
Power	70 Watt	75 Watt	75 Watt
Class	G	G	G
Annual consumption	146 kWh/a	180 kWh/a	184 kWh/a
Voltage	220-240 V/50 Hz	220-240 V/50 Hz	220-240 V/50 Hz
Frame	Brushed stainless steel, seamless	Brushed stainless steel, seamless	Brushed stainless steel, seamless
Weight	47,1 kg	85,7 kg	95,8 kg
Measures (WxHxD mm)	395 x 1035 x 635	595 x 1595 x 625	595 x 1860 x 700
Measures with handle (WxHxD mm)	395 x 1035 x 685	595 x 1595 x 675	595 x 1860 x 750
Certification	GS	GS	GS
Packing unit	1	1	1

UNDER COUNTER AND BUILT-IN WINE COOLERS

WINECHEF PRO
TWO COOLING ZONES

App-capable!



Product name	WineChef Pro 40	WineChef Pro 126	WineChef Pro 126-2D	WineChef Pro 180
Item	772	775	776	779
EAN	40 38437 00772 5	40 38437 00775 6	40 38437 00776 3	40 38437 00779 4
Housing / colour	Black / Stainless steel front	Black / Stainless steel front	Black / Stainless steel front	Black / Stainless steel front
Temperature range	5 – 20 °C**	5 – 20 °C**	5 – 20 °C**	5 – 20 °C**
Temperature zones	2	2	2	2
Cooling technology	Compressor	Compressor	Compressor	Compressor
UV filter glass	3-layer	3-layer	3-layer	3-layer
Interior light	LED white	LED white	LED white	LED white
Operation	Sensor touch	Sensor touch	Sensor touch	Sensor touch
App control	■	■	■	■
Bottles	40*	125*	125*	215*
Shelves	5	7 (6+1 presentation shelf)	7 (6+1 presentation shelf)	7 (6+1 presentation shelf)
Door lock	■	■	■	■
Power	70 Watt	75 Watt	75 Watt	75 Watt
Class	G	G	G	G
Annual consumption	142 kWh/a	166 kWh/a	166 kWh/a	175 kWh/a
Voltage	220-240V/50Hz	220-240V/50Hz	220-240V/50Hz	220-240V/50Hz
Frame	Brushed stainless steel	Brushed stainless steel	Brushed stainless steel	Brushed stainless steel
Weight	48,5 kg	101 kg	97,8 kg	106,9 kg
Measures (WxHxD mm)	595 x 825 x 575	595 x 1630 x 690	595 x 1630 x 690	595 x 1860 x 690
Measures with handle (WxHxD mm)	595 x 825 x 625	595 x 1630 x 740	595 x 1630 x 740	595 x 1860 x 740
Certification	GS	GS	GS	GS
Packing unit	1	1	1	1

*Bottle size based on a standard Bordeaux bottle




** The maximum temperature that can be reached inside the device cannot be significantly higher than the ambient temperature at the setup location

ARTICLE OVERVIEW

UNDER COUNTER AND BUILT-IN WINE COOLERS

WINECHEF PRO BLACK
TWO COOLING ZONES




App-capable!





Product name	WineChef Pro 40 black	WineChef Pro 126-2D black	WineChef Pro 180 black
Item	773	777	780
EAN	40 38437 00773 2	40 38437 00777 0	40 38437 00780 0
Housing / colour	Black / black stainless steel front	Black / black stainless steel front	Black / black stainless steel front
Temperature range	5 – 20 °C**	5 – 20 °C**	5 – 20 °C**
Temperature zones	2	2	2
Cooling technology	Compressor	Compressor	Compressor
UV filter glass	3-layer	3-layer	3-layer
Interior light	LED white	LED white	LED white
Operation	Sensor touch	Sensor touch	Sensor touch
App control	■	■	■
Bottles	40*	125*	215*
Shelves	5	7 (6+1 presentation shelf)	7 (6+1 presentation shelf)
Door lock	■	■	■
Power	70 Watt	75 Watt	75 Watt
Class	G	G	G
Annual consumption	142 kWh/a	166 kWh/a	175 kWh/a
Voltage	220-240V/50Hz	220-240V/50Hz	220-240V/50Hz
Frame	Brushed, black stainless steel	Brushed, black stainless steel	Brushed, black stainless steel
Weight	48,5 kg	97,8 kg	106,9 kg
Measures (WxHxD mm)	595 x 825 (820-875) x 590	595 x 1630 x 690	595 x 1860 x 690
Measures with handle (WxHxD mm)	595 x 825 (820-875) x 640	595 x 1630 x 740	595 x 1860 x 740
Certification	GS	GS	GS
Packing unit	1	1	1

BUILT-IN WINE COOLERS

WINESAFE EINBAU
ONE COOLING ZONE /
45 NICHE



WINEDELUXE EINBAU
ONE COOLING ZONE /
45 / 60 NICHE



Product name	WineSafe 18 EB Black	WineSafe 18 EB	WineSafe 18 EB Inox	WineDeluxe E 18	WineDeluxe E 29
Item	627	628	629	7710	7711
EAN	40 38437 00627 8	40 38437 00628 5	40 38437 00629 2	40 38437 07710 0	40 38437 07711 7
Housing / colour	Black	Black	Black / Stainless steel front	Black	Black
Temperature range	5 – 20 °C**	5 – 20 °C**	5 – 20 °C**	5 – 20 °C**	5 – 20 °C**
Temperature zones	1	1	1	1	1
Cooling technology	Compressor	Compressor	Compressor	Compressor	Compressor
UV filter glass	3-layer	3-layer	3-layer	3-layer	3-layer
Interior light	LED white	LED white	LED white	LED white	LED white
Operation	Sensor touch	Sensor touch	Sensor touch	Sensor touch	Sensor touch
Bottles	18*	18*	18*	18*	29*
Shelves	3	3	3	2	3 (2 +1 presentation shelf)
Power	60 Watt	60 Watt	60 Watt	85 Watt	85 Watt
Class	G	G	G	G	G
Annual consumption	128 kWh/a	128 kWh/a	128 kWh/a	132 kWh/a	139 kWh/a
Voltage	220-240V/50Hz	220-240V/50Hz	220-240V/50Hz	220-240V/50Hz	220-240V/50Hz
Frame	Glass	Glass	Brushed stainless steel	Glass	Glass
Weight	28,3 kg	28,2 kg	28,5 kg	32,8 kg	39,1 kg
Measures (WxHxD mm)	590 x 455 x 555	590 x 455 x 555	590 x 455 x 555	595 x 460 x 575	595 x 595 x 572
Measures with handle (WxHxD mm)	590 x 455 x 575	590 x 455 x 600	590 x 455 x 575	-	-
Body dimensions (WxHxD mm)	555 x 445 x 535	555 x 445 x 535	555 x 445 x 535	557 x 443 x 559	555 x 580 x 556
Niche dimensions (WxHxD mm)	560-570 x 450 x 550	560-570 x 450 x 550	560 -570 x 450 x 550	560-570 x 450 x 570	560-570 x 600 x 570
Certification	GS	GS	GS	GS	GS
Packing unit	1	1	1	1	1

*Bottle size based on a standard Bordeaux bottle

** The maximum temperature that can be reached inside the device cannot be significantly higher than the ambient temperature at the setup location

ARTICLE OVERVIEW


ONE BOTTLE COOLER, COOLING & STORING

WINECASE ONE



Product name	WineCase One Inox	WineCase One Black
Item	611	614
EAN	4038437006117	4038437006148
Housing / colour	Stainless steel	Black stainless steel
Temperature range	5 – 18 °C**	5 – 18 °C**
Cooling technology	Peltier technology	Peltier technology
Operation	Sensor touch	Sensor touch
Bottles	1	1
Power	72 Watt	72 Watt
Voltage	100-240 V	100-240 V
Weight	2,3 kg	2,3 kg
Measures (WxHxD mm)	135 x 245 x 285	135 x 245 x 285
Certification	GS, CE	GS, CE
Packing unit	1	1


OUTDOOR COOLING



Product name	Barbecue Cooler R	Barbecue Cooler L	Umbauschrank	Counter & Cool
Item	680	683	682	681
EAN	40 38437 00680 3	40 38437 00683 4	40 38437 00682 7	40 38437 00681 0
Housing / colour	Stainless steel	Stainless steel	Stainless steel	Stainless steel
Temperature range	0 – 10 °C**	0 – 10 °C**		0 – 10 °C**
Temperature zone	1	1		1
Cooling technology	Compressor	Compressor		Compressor
UV filter glass	3-layer	3-layer		3-layer
Interior light	LED white	LED white		LED white
Operation	Rotary control	Rotary control		Rotary control
Volume	ca. 63 l	ca. 63 l		ca. 63 l
Door lock	■	■		■
Power	60 Watt	60 Watt		60 Watt
Class	G	G		G
Annual consumption	128 kWh/a	128 kWh/a		128 kWh/a
Voltage	220-240V/50 Hz	220-240V/50 Hz		220-240V/50 Hz
Weight	31,4 kg	31,4 kg	27,8 kg	59,2 kg
Measures (WxHxD mm)	430 x 690 x 500	430 x 690 x 500	1010 x 985 x 600	1010 x 985 x 600
Measures with handle (WxHxD mm)	430 x 690 x 540	430 x 690 x 540	1010 x 985 x 620	1010 x 985 x 620
Certification	GS	GS		GS
Packing unit	1	1	1	1

DRYAGED MASTER

DRYAGED MASTER



Product name	DryAged Master 63	DryAged Master 125	DryAged Master 380 Pro
Item	689	690	691
EAN	40 38437 00689 6	40 38437 00690 2	40 38437 00691 9
Housing / colour	Black / Stainless steel frame	Black / Stainless steel frame	Black / Stainless steel frame
Temperature range	2 – 14 °C**	2 – 14 °C**	2 – 14 °C**
Temperature zones	1	1	1
Cooling technology	Compressor	Compressor	Compressor
UV filter glass	3-layer	3-layer	3-layer
Interior light	LED white + UV light	LED white + UV light	LED white + UV light
Operation	Sensor touch	Sensor touch	Sensor touch
Volume	ca. 63 l	ca. 125 l	ca. 380 l
Humidity	50-85 %	50-85 %	50-85 %
Activated carbon filter	■	■	■
Pedestal ventilation		■	■
Door lock	■	■	■
Racks	4 racks + hanger	4 racks + hanger	7 racks + hanger
Power	60 Watt	140 Watt	240 Watt
Voltage	220-240 V/50 Hz	220-240 V/50 Hz	220-240 V/50 Hz
Weight	41,4 kg	57,4 kg	104,2 kg
Measures (WxHxD mm)	395 x 875x 545	595 x 825 x 590	595 x 1860 x 690
Measures with handle (WxHxD mm)	395 x 875x 595	595 x 825 x 640	595 x 1860 x 740
Accessories	3 hooks, 1 H2O reservoir	4 hooks, 1 H2O reservoir	6 hooks, 2 H2O reservoirs
Certification	GS	GS	GS
Packing unit	1	1	1


** The maximum temperature that can be reached inside the device cannot be significantly higher than the ambient temperature at the setup location


CASO CONTROL APP

App discription

Every wine has its own character which becomes more pronounced as it ages. CASO Design wine cooling and storage units provide the ideal conditions required for this process.

The new CASO CONTROL APP allows you to easily regulate the perfect storage temperature for your wine.*

- Perfect temperature control from almost everywhere
- App development *Made in Germany* 
- Monitors your wine cooler
- Light controllable from almost everywhere
- For Android and iOS



www.casoapp.com

REQUIREMENTS OF THE CASO CONTROL APP

- A Wi-Fi-enabled smartphone or tablet.
- Download the CASO CONTROL APP (search "CASO control app") from the app store or Google Play + registration (also possible via our website www.casoapp.com).
- To connect smartphones to wine coolers
Your smartphone and wine cooler must be linked via a stable Wi-Fi network to connect. Instructions on how to pair the devices are supplied with the wine cooler.
- For control on the go
To control your wine cooler from almost everywhere it must be connected to a Wi-Fi network at its location. Please note that this Wi-Fi network must be the same one as used for pairing. All that is required for your smartphone to access the wine cooler is mobile data use or any Wi-Fi network.
- Suitable CASO wine coolers:

WineComfort 380 Smart
WineComfort 660 Smart
WineComfort 1260 Smart
WineComfort 1800 Smart

WineExclusive 24 Smart
WineExclusive 38 Smart
WineExclusive 66 Smart
WineExclusive 126 Smart
WineExclusive 180 Smart

WineChef Pro 40
WineChef Pro 126
WineChef Pro 126-2D
WineChef Pro 180

WineChef Pro 40 Black
WineChef Pro 126-2D Black
WineChef Pro 180 Black



*All Wi-Fi-enabled wine coolers can, of course, also be controlled manually on the unit without using the CASO control app.

“Taste is a question
of the temperature.

CASO[®]

D E S I G N

Germany

Braukmann GmbH
Raiffeisenstraße 9
59757 Arnsberg
Germany

phone +49 (0) 29 32 . 547 66 0
fax +49 (0) 29 32 . 547 66 77
info@caso-design.de

www.caso-design.de